

Product Catalog



SD and USB Flash Memory

Table of Contents

FLASH MEMORY CARDS.....	4
<i>Introduction.....</i>	<i>4</i>
<i>SD / MMC Memory Capacity.....</i>	<i>4</i>
<i>Memory Speed Classifications</i>	<i>4</i>
FMA-0000 - STANDARD SD FLASH MEMORY	5
FMA-0100 - SD HIGH SPEED FLASH MEMORY	5
FMB-0000 - SD HC FLASH MEMORY	6
FMB-0100 - SD HC HIGH SPEED FLASH MEMORY	6
FMB-0200 - SD HC HYPER SPEED FLASH MEMORY	7
FMC-0000 - MINI SD FLASH MEMORY	7
FMD-0000 - MINI SD HC FLASH MEMORY	8
FME-0000 - MICRO SD FLASH MEMORY	8
FMG-0000 - CF FLASH MEMORY	9
FMG-0400 - CF HI SPEED FLASH MEMORY	9
FMG-0500 - CF HYPER SPEED FLASH MEMORY	10
FMH-0000 - MMC PLUS FLASH MEMORY	10
FMI-0000 - MMC PLUS HC FLASH MEMORY	11
FMI-0100 - MMC PLUS HC HIGH SPEED FLASH MEMORY	11
FMI-0200 - MMC PLUS HC HYPER SPEED FLASH MEMORY	12
FMJ-0000 - MMC MOBILE (DUAL VOLTAGE) FLASH MEMORY	12
FMK-0000 - MMC MOBILE HC (DUAL VOLTAGE) FLASH MEMORY	13
FMK-0600 - MMC MOBILE HC HIGH SPEED (DUAL VOLTAGE) FLASH MEMORY.....	13
FMK-0700 - MMC MOBILE HC HYPER SPEED (DUAL VOLTAGE) FLASH MEMORY	14
USB FLASH DRIVES.....	15
<i>Introduction.....</i>	<i>15</i>
<i>Memory Speed Classifications</i>	<i>15</i>
UFD-0001 - CREDIT CARD FLASH DRIVE	16
UFD-0101 - USB FLASH DRIVE W/OVERTURNING USB CAP	16
UFD-0103 - USB FLASH DRIVE W/TRANSPARENT CASE AND REVOLVING CAP	17
UFD-0201 - USB FLASH DRIVE W/TELESCOPIC HEAD.....	17
UFD-0202 - USB FLASH DRIVE W/TELESCOPIC HEAD.....	18
UFD-0203 - USB FLASH DRIVE W/TELESCOPIC HEAD.....	18
UFD-0204 - USB FLASH DRIVE W/TELESCOPIC HEAD.....	19
UFD-0205 - USB FLASH DRIVE W/TELESCOPIC HEAD.....	19
UFD-0301 - USB FLASH DRIVE W/LIGHTWEIGHT RUBBER FEEL DESIGN	20
UFD-0401 - USB FLASH DRIVE W/RUBBER FEEL DESIGN	20
UFD-0402 - USB FLASH DRIVE W/RUBBER CASING	21
UFD-0403 - USB FLASH DRIVE W/RUBBER CASING AND LED INDICATOR	21
UFD-0404 - USB FLASH DRIVE W/LIGHTWEIGHT RUBBER FEEL DESIGN	22
UFD-0405 - USB FLASH DRIVE W/LIGHTWEIGHT RUBBER FEEL DESIGN AND LED INDICATOR	22
UFD-0406 - USB FLASH DRIVE W/LIGHTWEIGHT RUBBER FEEL DESIGN	23
UFD-0501 - USB FLASH DRIVE W/SLIM METAL CASE DESIGN.....	23
UFD-0502 - USB FLASH DRIVE - METAL CASE.....	24
UFD-0503 - USB MINI FLASH DRIVE - METAL CASE	24
UFD-0504 - USB FLASH DRIVE W/REVOLVING USB CAP	25
UFD-0504-A - USB FLASH DRIVE W/REVOLVING USB CAP	25
UFD-0505 - USB FLASH DRIVE W/METAL CASE	26
UFD-0506 - USB MINI FLASH DRIVE - BRUSHED ALUMINUM CASE.....	26
UFD-0507 - USB MINI FLASH DRIVE - STAINLESS STEEL CASE	27
UFD-0508 - USB FLASH DRIVE WITH METAL CASE AND LED INDICATOR	27
UFD-0509 - USB FLASH DRIVE - METAL CASE	28
UFD-0513 - USB FLASH DRIVE - ALUMINUM KEY RING DESIGN	28
UFD-0602 - USB FLASH DRIVE - PLASTIC CASE	29
UFD-0603 - USB FLASH DRIVE - TRANSPARENT PLASTIC CASE.....	29

UFD-0605 – USB FLASH DRIVE – PLASTIC CASE	30
UFD-0605-L – USB FLASH DRIVE – SHINING W/LED INDICATOR	30
UFD-0606 – MINI USB FLASH DRIVE W/TRANSPARENT PLASTIC CASE	31
UFD-0607 – USB MINI FLASH DRIVE W/LED LIGHT DESIGN	31
UFD-0608 – USB FLASH DRIVE – PLASTIC CASE	32
UFD-0609 – USB FLASH DRIVE W/LED RED LIGHT	32
UFD-0610 – USB FLASH DRIVE – PLASTIC CASE	33
UFD-0611 – USB FLASH DRIVE – PLASTIC CASE	33
UFD-0612 – USB FLASH DRIVE – PLASTIC CASE	34
UFD-0613 – MINI USB FLASH DRIVE W/360 REVOLVING PORT	34
UFD-0614 – USB MINI FLASH DRIVE W/REVOLVING USB CAP	35
UFD-0615 – USB FLASH DRIVE – PLASTIC CASE	35
UFD-0701 – USB SUPER SLIM FLASH DRIVE	36
UFD-0702 – USB SUPER SLIM FLASH DRIVE	36
UFD-0801 – USB BALL PEN FLASH DRIVE	37
UFD-0802 – USB BALL PEN FLASH DRIVE	37
UFD-0803 – USB BALL PEN FLASH DRIVE	38
UFD-0804 – USB BALL PEN FLASH DRIVE	38
UFD-0901 – USB FLASH DRIVE – LEATHER CASING	39
UFD-0902 – USB FLASH DRIVE – LEATHER CASING	39
UFD-0903 – USB FLASH DRIVE – HEART SHAPE	40
UFD-0904 – USB FLASH DRIVE – FOOTBALL / SOCCER DESIGN	40
UFD-0905 – USB WRIST FLASH DRIVE	41
UFD-0906 – USB NECK STRAP FLASH DRIVE	41

Flash Memory Cards

Introduction

Jade Connections works with flash memory factories with a proven ability and track record in maintaining consistent high quality and volume production scales while at the same time being able to provide extensive configuration options. All standard flash memory card configurations are available, including SD, mini SD, micro SD, MMC Plus, MMC mobile, and CF.

Flash memory cards are classified by card type, capacity, read speed, and write speed. For SD memory cards, care must be taken for 2GB and 4GB capacities, as they are available in two different and potentially incompatible configurations (standard vs. HC). The flash memory configurations described below are for normal stock devices. Read/Write speeds are not specified for these standard devices (all operate with read speeds of at least 30x or better) as the memory used will vary depending upon current market conditions in order to provide the best cost. Customers with specific speed requirements should let us know, and we can provide price quotations for whatever specific speed / controller / flash requirements you may have.

Whether you are looking for the lowest cost solutions for promotional use, or have strict capacity and speed requirements for an OEM retail offering, Jade Connections will work with you to provide precisely the solution you need. Finally, Jade Connections works closely with you and the factory to produce whatever custom packaging and product labeling you need.

SD / MMC Memory Capacity

There are two different types of SD / MMC memory configurations available – standard and HC (High Capacity). This applies to the standard SD and MMC size form factors as well as the smaller mini SD, micro SD and MMC mobile sizes. Standard SD / MMC memory is available in capacities up to 4GB, with HC memory available from 2GB to 32GB. It is important to note that SDHC and MMC HC memory can only be used in devices designed for use with SDHC or MMC HC. In particular, a 2GB or 4GB SDHC memory card will NOT work in a device designed to only support standard SD. The opposite however is not true. Devices designed to work with SDHC can accept either standard or SDHC memory.

Memory Speed Classifications

The maximum read and write speeds for most memory are different. Read speeds are commonly referenced as a multiple of a standard speed CD-ROM (120X for instance). The standard speed is 0.15 MB/s, so a 120X device is capable of reading at 18 MB/s. Write speeds can also be specified using this notation, however for SDHC, write speeds are typically specified by their speed class ratings as defined by the SD Association. Class 2 devices can write 2MB/s, class 4 at 4MB/s, and class 6 at 6 MB/s.

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

FMA-0000 - Standard SD Flash Memory



FMA-0000 series standard SD flash memory.

Specifications
Data Endurance: 100K Program/Erase Cycles Fully complies with SecureDigital Association specs Mechanical Write Protection Switch

Physical
Device Dimensions: 32 x 24 x 2.1 mm Device Weight: 1.45g Packaging: Blister Pack: 14.5 x 10 x 1.5 cm Inner Box: 32 x 16 x 11 (25 pcs/box) Carton Size: 33 x 32 x 24 cm (100 pcs/ctn) 64 x 33 x 24 cm (200 pcs/ctn) GW/CTN:

Part Number	Capacity
FMA-0003	128 MB
FMA-0004	256 MB
FMA-0005	512 MB
FMA-0006	1 GB
FMA-0007	2 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC, CPRM

FMA-0100 – SD High Speed Flash Memory



FMA-0100 series SD High Speed flash memory.

Specifications
Read Speed 120X Data Endurance 100X Program/Erase Cycles Fully complies with SecureDigital Association specs Mechanical Write Protection Switch

Physical
Device Dimensions: 32 x 24 x 2.1 mm Device Weight: 1.45g Packaging: Blister Pack: 14.5 x 10 x 1.5 cm Inner Box: 32 x 16 x 11 (25 pcs/box) Carton Size: 33 x 32 x 24 cm (100 pcs/ctn) 64 x 33 x 24 cm (200 pcs/ctn) GW/CTN:

Part Number	Capacity
FMA-0103	128 MB
FMA-0104	256 MB
FMA-0105	512 MB
FMA-0106	1 GB
FMA-0107	2 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC, CPRM

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

FMB-0000 – SD HC Flash Memory



FMB-0000 series SD HC flash memory.

Specifications

Data Endurance: 100K Program/Erase Cycles
Fully complies with SecureDigital Association specs
Mechanical Write Protection Switch

Physical

Device Dimensions: 32 x 24 x 2.1 mm
Device Weight: 1.45g
Packaging: Blister Pack: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 (25 pcs/box)
Carton Size: 33 x 32 x 24 cm (100 pcs/ctn)
64 x 33 x 24 cm (200 pcs/ctn)
GW/CTN:

Part Number

Part Number	Capacity
FMB-0008	4 GB
FMB-0009	8 GB
FMB-0010	16 GB

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC, CPRM, SDHC

FMB-0100 – SD HC High Speed Flash Memory



FMB-0100 series SD HC High Speed flash memory.

Specifications

Read Speed: 120X
Data Endurance: 100K Program/Erase Cycles
Fully complies with SecureDigital Association specs
Mechanical Write Protection Switch

Physical

Device Dimensions: 32 x 24 x 2.1 mm
Device Weight: 1.45g
Packaging: Blister Pack: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 (25 pcs/box)
Carton Size: 33 x 32 x 24 cm (100 pcs/ctn)
64 x 33 x 24 cm (200 pcs/ctn)
GW/CTN:

Part Number

Part Number	Capacity
FMB-0108	4 GB
FMB-0109	8 GB
FMB-0110	16 GB

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC, CPRM, SDHC

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

FMB-0200 – SD HC Hyper Speed Flash Memory



FMB-0200 series SD HC Hyper Speed flash memory.

Specifications

Read Speed: 133X
 Data Endurance: 100K Program/Erase Cycles
 Fully complies with SecureDigital Association specs
 Mechanical Write Protection Switch

Physical

Device Dimensions: 32 x 24 x 2.1 mm
 Device Weight: 1.45g
 Packaging: Blister Pack: 14.5 x 10 x 1.5 cm
 Inner Box: 32 x 16 x 11 (25 pcs/box)
 Carton Size: 33 x 32 x 24 cm (100 pcs/ctn)
 64 x 33 x 24 cm (200 pcs/ctn)
 GW/CTN:

Part Number	Capacity
FMB-0208	4 GB
FMB-0209	8 GB
FMB-0210	16 GB

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC, CPRM, SDHC

FMC-0000 – mini SD Flash Memory



FMC-0000 series mini SD flash memory.

Specifications

Data Endurance: 100K Program/Erase Cycles
 Mini SD Adaptor optional
 Fully complies with SecureDigital Association specs

Physical

Dimensions:
 Weight:
 Carton Size:
 GW/CTN:

Part Number	Capacity
FMC-0003	128 MB
FMC-0004	256 MB
FMC-0005	512 MB
FMC-0006	1 GB
FMC-0007	2 GB
FMC-0008	4 GB

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC, CPRM

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

FMD-0000 – mini SD HC Flash Memory



FMD-0000 series mini SD HC flash memory.

Specifications
Data Endurance: 100K Program/Erase Cycles
Mini SD Adaptor optional
Fully complies with SecureDigital Association specs

Physical
Dimensions:
Weight:
Carton Size:
GW/CTN:

Part Number	Capacity
FMD-0008	4 GB
FMD-0009	8 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC, CPRM, SDHC

FME-0000 – micro SD Flash Memory



FME-0000 series micro SD flash memory.

Specifications
Data Endurance: 100K Program/Erase Cycles
Micro SD Adaptor optional
Fully complies with SecureDigital Association specs

Physical
Dimensions:
Weight:
Carton Size:
GW/CTN:

Part Number	Capacity
FME-0003	128 MB
FME-0004	256 MB
FME-0005	512 MB
FME-0006	1 GB
FME-0007	2 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC, CPRM

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

FMG-0000 – CF Flash Memory



FMG-0000 series CF flash memory.

Specifications

Compliant with CompactFlash specification
 Support IDE PIO Mode 0,1,2,3,4,5, and 6
 Support IDE Ultra DMA Mode 0,1,2,3,4, and 5
 Dual channel 8-bit flash interface
 Single channel 16-bit flash interface
 Supports firmware ISP (in system programming)
 Firmware upgradeable

Physical

Device Dimensions: 43 x 36 x 3.3 mm
 Device Weight: 9.25g
 Packaging: Blister: 14.5 x 10 x 1.5 cm
 Inner Box: 32 x 16 x 11 cm (25 pcs/box)
 Carton Size: 33 x 32 x 24 cm (100 pcs/ctn)
 64 x 33 x 24 cm (200 pcs/ctn)

Part Number	Capacity
FMG-0003	128 MB
FMG-0004	256 MB
FMG-0005	512 MB
FMG-0006	1 GB
FMG-0007	2 GB
FMG-0008	4 GB
FMG-0009	8 GB
FMG-0010	16 GB
FMG-0011	32 GB

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC, CFA

FMG-0400 – CF Hi Speed Flash Memory



FMG-0400 series CF Hi Speed flash memory.

Specifications

Read Speed up to 150X
 Compliant with CompactFlash specification
 Support IDE PIO Mode 0,1,2,3,4,5, and 6
 Support IDE Ultra DMA Mode 0,1,2,3,4, and 5
 Dual channel 8-bit flash interface
 Single channel 16-bit flash interface
 Supports firmware ISP (in system programming)
 Firmware upgradeable

Physical

Device Dimensions: 43 x 36 x 3.3 mm
 Device Weight: 9.25g
 Packaging: Blister: 14.5 x 10 x 1.5 cm
 Inner Box: 32 x 16 x 11 cm (25 pcs/box)
 Carton Size: 33 x 32 x 24 cm (100 pcs/ctn)
 64 x 33 x 24 cm (200 pcs/ctn)

Part Number	Capacity
FMG-0403	128 MB
FMG-0404	256 MB
FMG-0405	512 MB
FMG-0406	1 GB
FMG-0407	2 GB
FMG-0408	4 GB
FMG-0409	8 GB
FMG-0410	16 GB
FMG-0411	32 GB

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC, CFA

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

FMG-0500 – CF Hyper Speed Flash Memory



FMG-0500 series CF Hyper Speed flash memory.

Specifications
Read Speed up to 250X
Compliant with CompactFlash specification
Support IDE PIO Mode 0,1,2,3,4,5, and 6
Support IDE Ultra DMA Mode 0,1,2,3,4, and 5
Dual channel 8-bit flash interface
Single channel 16-bit flash interface
Supports firmware ISP (in system programming)
Firmware upgradeable

Physical
Device Dimensions: 43 x 36 x 3.3 mm
Device Weight: 9.25g
Packaging: Blister: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm (100 pcs/ctn) 64 x 33 x 24 cm (200 pcs/ctn)

Part Number	Capacity
FMG-0503	128 MB
FMG-0504	256 MB
FMG-0505	512 MB
FMG-0506	1 GB
FMG-0507	2 GB
FMG-0508	4 GB
FMG-0509	8 GB
FMG-0510	16 GB
FMG-0511	32 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC, CPRM

FMH-0000 – MMC Plus Flash Memory



FMH-0000 series MMC Plus flash memory.

Specifications
Fully complies with MMCA specifications
Compliant MMC 4.X and 3.X interface
Compatible with SD card reader devices
Data endurance: 100K program/erase cycles

Physical
Dimensions:
Weight:
Carton Size:
GW/CTN:

Part Number	Capacity
FMH-0003	128 MB
FMH-0004	256 MB
FMH-0005	512 MB
FMH-0006	1 GB
FMH-0007	2 GB
FMH-0008	4 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

FMI-0000 – MMC Plus HC Flash Memory



FMI-0000 series MMC Plus HC flash memory.

Specifications
Fully complies with MMCA specifications
Compliant MMC 4.X and 3.X interface
Compatible with SD card reader devices
Data endurance: 100K program/erase cycles

Physical
Dimensions:
Weight:
Carton Size:
GW/CTN:

Part Number	Capacity
FMI-0008	4 GB
FMI-0009	8 GB
FMI-0010	16 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

FMI-0100 – MMC Plus HC High Speed Flash Memory



FMI-0100 series MMC Plus HC High Speed flash memory.

Specifications
Read speed up to 120X
Fully complies with MMCA specifications
Compliant MMC 4.X and 3.X interface
Compatible with SD card reader devices
Data endurance: 100K program/erase cycles

Physical
Dimensions:
Weight:
Carton Size:
GW/CTN:

Part Number	Capacity
FMI-0108	4 GB
FMI-0109	8 GB
FMI-0110	16 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

FMI-0200 – MMC Plus HC Hyper Speed Flash Memory



FMI-0200 series MMC Plus HC Hyper Speed flash memory.

Specifications
Read speed up to 133X
Fully complies with MMCA specifications
Compliant MMC 4.X and 3.X interface
Compatible with SD card reader devices
Data endurance: 100K program/erase cycles

Physical
Dimensions:
Weight:
Carton Size:
GW/CTN:

Part Number	Capacity
FMI-0208	4 GB
FMI-0209	8 GB
FMI-0210	16 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

FMJ-0000 – MMC mobile (Dual Voltage) Flash Memory



FMJ-0000 series MMC mobile (DV) flash memory.

Specifications
Dual Voltage Support (1.8 V, 3.3 V)
Fully complies with MMCA specifications
Compliant MMC 4.X and MMC 3.X interface
Compatible with SD card reader with MMC adaptor
Data endurance: 100K program/erase cycles
MMC adaptor: optional

Physical
Dimensions:
Weight:
Carton Size:
GW/CTN:

Part Number	Capacity
FMJ-0003	128 MB
FMJ-0004	256 MB
FMJ-0005	512 MB
FMJ-0006	1 GB
FMJ-0007	2 GB
FMJ-0008	4 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

FMK-0000 – MMC mobile HC (Dual Voltage) Flash Memory



FMK-0000 series MMC mobile HC (DV) flash memory.

Specifications
Dual Voltage Support (1.8 V, 3.3 V)
Fully complies with MMCA specifications
Compliant MMC 4.X and MMC 3.X interface
Compatible with SD card reader with MMC adaptor
Data endurance: 100K program/erase cycles
MMC adaptor: optional

Physical
Dimensions:
Weight:
Carton Size:
GW/CTN:

Part Number	Capacity
FMK-0008	4 GB
FMK-0009	8 GB
FMK-0010	16 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

FMK-0600 – MMC mobile HC High Speed (Dual Voltage) Flash Memory



FMK-0600 series MMC mobile HC High Speed (DV) flash memory.

Specifications
Read Speed: up to 60X
Dual Voltage Support (1.8 V, 3.3 V)
Fully complies with MMCA specifications
Compliant MMC 4.X and MMC 3.X interface
Compatible with SD card reader with MMC adaptor
Data endurance: 100K program/erase cycles
MMC adaptor: optional

Physical
Dimensions:
Weight:
Carton Size:
GW/CTN:

Part Number	Capacity
FMK-0608	4 GB
FMK-0608	8 GB
FMK-0610	16 GB

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

FMK-0700 – MMC mobile HC Hyper Speed (Dual Voltage) Flash Memory



FMK-0700 series MMC mobile HC Hyper Speed (DV) flash memory.

Specifications

Read Speed: up to 100X
 Dual Voltage Support (1.8 V, 3.3 V)
 Fully complies with MMCA specifications
 Compliant MMC 4.X and MMC 3.X interface
 Compatible with SD card reader with MMC adaptor
 Data endurance: 100K program/erase cycles
 MMC adaptor: optional

Physical

Dimensions:
 Weight:
 Carton Size:
 GW/CTN:

Part Number	Capacity
FMK-0708	4 GB
FMK-0709	8 GB
FMK-0710	16 GB

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

USB Flash Drives

Introduction

Jade Connections works with flash memory factories with a **proven ability and track record** in maintaining consistent high quality and volume production scales while at the same time being able to provide extensive configuration options. Jade Connections carries an extensive line of USB Flash Drives (see below). All devices listed here are available in custom colors, and with your logo or message printed on them. In addition, if you do not see what you need here, and have custom requirements, we are here to help with the design and production of whatever type device you need.

The USB Flash drives below are sorted (loosely) by the following characteristics:

- | | |
|---------------------------|------------------|
| ❖ Credit Card Form Factor | ❖ Metal Casing |
| ❖ Revolving Head | ❖ Plastic Casing |
| ❖ Telescopic | ❖ Super Slim |
| ❖ Soft Finish | ❖ Ball Pen |
| ❖ Rubber Casing | ❖ Other |

The flash memory configurations described below are for normal stock devices. Read/Write speeds are not specified for these standard devices (all operate with single/dual channel read speeds of at least 8 MB/s or better) as the memory used will vary depending upon current market conditions in order to provide the best cost solution. Customers with specific speed requirements should let us know, and we can provide price quotations for whatever specific speed / controller / flash requirements you may have.

Whether you are looking for the lowest cost solutions for promotional use, or have strict capacity and speed requirements for an OEM retail offering, Jade Connections will work with you to provide precisely the solution you need. Finally, Jade Connections works closely with you and the factory to produce whatever custom packaging and product labeling you need.

Memory Speed Classifications

USB Flash Drive speeds are determined by a combination of the USB transfer speed as well as memory speed. All Jade Connections supplied Flash Drives are capable of operating at USB 2.0 High Speed (assuming the host controller/hub can support this speed). All Flash Drives can also operate with the slower USB 2.0 Full Speed, and 1.1 interfaces.

The maximum read and write speeds for most memory are different. In addition, for USB devices read and write speeds are usually different depending upon the mode of access – either Single Channel or Dual Channel (multiple concurrent read/write access mode). All USB Flash Drives have the following **minimum capabilities**:

- | | |
|---|---|
| ❖ Read Speed (Single Channel Mode): 8 MB/s | ❖ Read Speed (Dual Channel Mode): 12 MB/s |
| ❖ Write Speed (Single Channel Mode): 2 MB/s | ❖ Write Speed (Dual Channel Mode): 4 MB/s |

If you have specific speed requirements, Jade Connections will work with you and the factory to produce precisely the type of devices you need. For example, most USB Flash Drives can be built up to the following specifications should there be a need:

- | | |
|---|--|
| ❖ Read Speed (Single Channel Mode): 20 MB/s | ❖ Read Speed (Dual Channel Mode): 33 MB/s |
| ❖ Write Speed (Single Channel Mode): 9 MB/s | ❖ Write Speed (Dual Channel Mode): 20 MB/s |

Other combinations can also be provided – please contact Jade Connections for a specific price and availability quote for your requirements.

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

UFD-0001 – Credit Card Flash Drive



Credit Card Flash Drive

USB Version: 2.0
 Capacities: 1 GB to 64 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Packaging: Gift Box
Package Dimensions: 13.5 x 10 x 2 cm
Package Weight: 14.85 g
Carton Size: 51 x 28 x 22 cm, 100 pcs/CTN

UFD-0101 – USB Flash Drive w/overturning USB Cap



USB Flash Drive w/overturning USB Cap

Case Type: Rubber or Plastic
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors:	Black, Red, Blue

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 6.3 x 2.6 x 1 cm
Unit Weight: 11 g
Packaging Type: Plastic blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0103 – USB Flash Drive w/Transparent case and Revolving Cap



USB Flash Drive w/Transparent case and Revolving Cap

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Black, Blue, Red, Green	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 58.4 x 16.9 x 11 mm
Unit Weight: 10.35 g
Packaging Type: Plastic blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0201 – USB Flash Drive w/Telescopic Head



USB Flash Drive w/Telescopic Head

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 66.7 x 19.6 x 8.2 mm
Unit Weight: 10.6 g
Packaging Type: Plastic blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0202 – USB Flash Drive w/Telescopic Head



USB Flash Drive w/Telescopic Head

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue, Green	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 58 x 30 x 16 mm
Unit Weight: 0.03 kg
Packaging Type: Gift Box
Package Size: 12 x 10 x 2.6 cm / 0.12 kg
Inner Box: 36 x 14 x 12 cm (25 pcs/box)
Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN
GW/CTN: 12 kg

UFD-0203 – USB Flash Drive w/Telescopic Head



USB Flash Drive w/Telescopic Head

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue, Green	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 58 x 29 x 15.7 mm
Unit Weight: 0.03 kg
Packaging Type: Gift Box
Package Size: 12 x 10 x 2.6 cm / 0.12 kg
Inner Box: 36 x 14 x 12 cm (25 pcs/box)
Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN
GW/CTN: 12 kg

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0204 – USB Flash Drive w/Telescopic Head



USB Flash Drive w/Telescopic Head

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue, Green	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 58 x 29 x 15.7 mm
Unit Weight: 0.03 kg
Packaging Type: Gift Box
Package Size: 12 x 10 x 2.6 cm / 0.12 kg
Inner Box: 36 x 14 x 12 cm (25 pcs/box)
Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN
GW/CTN: 12 kg

UFD-0205 – USB Flash Drive w/Telescopic Head



USB Flash Drive w/Telescopic Head

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue, Green	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 58 x 30 x 16 mm
Unit Weight: 0.03 kg
Packaging Type: Gift Box
Package Size: 12 x 10 x 2.6 cm / 0.12 kg
Inner Box: 36 x 14 x 12 cm (25 pcs/box)
Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN
GW/CTN: 12 kg

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0301 – USB Flash Drive w/Lightweight Rubber Feel Design



USB Flash Drive w/Lightweight Rubber Feel Design

Case Type: Rubber
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Black, Red, Blue	

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Warranty Terms
2 years from the date of factory shipment

Physical
Unit Dimensions: 70 x 20 x 7 mm
Unit Weight: 9.4 g
Packaging Type: Plastic Blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

Certifications
CE, RoHS, FCC

UFD-0401 – USB Flash Drive w/Rubber Feel Design



USB Flash Drive w/Lightweight Rubber Feel Design

Case Type: Rubber
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Black, Red, Blue	

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Warranty Terms
2 years from the date of factory shipment

Physical
Unit Dimensions: 70 x 22 x 12 mm
Unit Weight: 9 g
Packaging Type: Plastic Blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

Certifications
CE, RoHS, FCC

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0402 – USB Flash Drive w/Rubber Casing



USB Flash Drive w/Rubber Casing

Case Type: Rubber
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 76 x 23 x 11 mm
Unit Weight: 10.6 g
Packaging Type: Plastic Blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0403 – USB Flash Drive w/Rubber Casing and LED Indicator



USB Flash Drive w/Rubber Casing

Case Type: Rubber
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver, Black, Red, Blue	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional
Available in many colors	

Physical
Unit Dimensions: 67.6 x 20.3 x 7.6 mm
Unit Weight: 7.25 g
Packaging Type: Plastic Blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0404 – USB Flash Drive w/Lightweight Rubber Feel Design



USB Flash Drive w/Lightweight Rubber Feel Design

Case Type: Rubber
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later.
 Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Black, Red, Blue	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 64 x 23 x 12 mm
Unit Weight: 9.5 g
Packaging Type: Plastic Blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN
64 x 33 x 24 cm, 200 pcs/CTN

UFD-0405 – USB Flash Drive w/Lightweight Rubber Feel Design and LED Indicator



USB Flash Drive w/Lightweight Rubber Feel Design and LED Indicator

Case Type: Rubber
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later.
 Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue, Red, Black	

Warranty Terms
2 years from the date of factory shipment


Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 70 x 35 x 18 mm
Unit Weight: 9 g
Packaging Type: Plastic Blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN
64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0406 – USB Flash Drive w/Lightweight Rubber Feel Design



USB Flash Drive w/Lightweight Rubber Feel Design

Case Type: Rubber
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications

Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors:	Blue, Red, Black

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC

Features

Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical

Unit Dimensions: 75 x 24 x 7 mm
 Unit Weight: 10 g
 Packaging Type: Plastic Blister
 Package Size: 14.5 x 10 x 1.5 cm
 Inner Box: 32 x 16 x 11 cm (25 pcs/box)
 Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN
 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0501 – USB Flash Drive w/Slim Metal Case Design



USB Flash Drive w/Slim Metal Case Design

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications

Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors:	Silver, Black

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC

Features

Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical

Unit Dimensions: 59 x 16.8 x 7.7 mm
 Unit Weight: 8.4 g
 Packaging Type: Gift Box
 Package Size: 13 x 13 x 3.3 cm
 Inner Box: 55 x 46 x 16 cm (50 pcs/box)
 Carton Size: 56 x 47 x 33 cm, 100 pcs/CTN
 GW/CTN: 10 kg

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0502 – USB Flash Drive – Metal Case



USB Flash Drive – Metal Case

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Border Colors: Blue, Red, Black	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 68 x 20 x 9 mm
Unit Weight: 50 g
Packaging Type: Plastic Blister
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0503 – USB Mini Flash Drive – Metal Case



USB Mini Flash Drive – Metal Case

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 48 x 17 x 7 mm
Unit Weight: 6.8 g
Packaging Type: Gift Box
Package Size: 12 x 10 x 2.6 cm / 0.12 kg
Inner Box: 36 x 14 x 12 cm (25 pcs/box)
Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0504 – USB Flash Drive w/Revolving USB Cap



USB Flash Drive w/Revolving USB Cap

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications

Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Black, Grey	

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC

Features

Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical

Unit Dimensions: 56 x 19 x 11 mm
 Unit Weight: 10 g
 Packaging Type: Gift Box
 Package Size: 12 x 10 x 2.6 cm / 0.12 kg
 Inner Box: 36 x 14 x 12 cm (25 pcs/box)
 Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN
 GW/CTN: 12 kg

UFD-0504-A – USB Flash Drive w/Revolving USB Cap



USB Flash Drive w/Revolving USB Cap

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications

Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Black	

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC

Features

Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical

Unit Dimensions: 56 x 19 x 11 mm
 Unit Weight: 15.5 g
 Packaging Type: Gift Box
 Package Size: 12 x 10 x 2.6 cm
 Inner Box: 36 x 14 x 12 cm (25 pcs/box)
 Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0505 – USB Flash Drive w/Metal Case



USB Flash Drive w/Metal Case

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 67 x 19 x 9 mm
Unit Weight: 12 g
Packaging Type: Gift Box
Package Size: 13 x 13 x 3.3 cm
Inner Box: 56 x 46 x 16 cm (50 pcs/box)
Carton Size: 56 x 47 x 33 cm, 100 pcs/CTN
GW/CTN: 10 kg

UFD-0506 – USB Mini Flash Drive – Brushed Aluminum Case



USB Mini Flash Drive – Brushed Aluminum Case

Case Type: Metal – Brush Aluminum
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Border Colors: Blue, Black	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 53 x 23 x 9 mm
Unit Weight: 17.2 g
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0507 – USB Mini Flash Drive – Stainless Steel Case



USB Mini Flash Drive – Stainless Steel Case

Case Type: Metal – Stainless Steel

USB Version: 2.0

Capacities: 64 MB to 8 GB

Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 52 x 20 x 7 mm
Unit Weight: 16.85 g
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0508 – USB Flash Drive with Metal Case and LED Indicator



USB Flash Drive – Metal Case w/LED Indicator

Case Type: Metal

USB Version: 2.0

Capacities: 64 MB to 16 GB

Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 60 x 17 x 7 mm
Unit Weight:
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

UFD-0509 – USB Flash Drive – Metal Case



USB Flash Drive – Metal Case

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Border Colors: Black	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 67 x 23 x 8 mm
Unit Weight:
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN
64 x 33 x 24 cm, 200 pcs/CTN

UFD-0513 – USB Flash Drive – Aluminum Key Ring Design



USB Flash Drive – Aluminum Key Ring Design

Case Type: Metal – Aluminum
 USB Version: 2.0
 Capacities: 128 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Red, Silver	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 57.6 x 17.8 x 8.4 mm
Unit Weight: 7.35 g
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN
64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0602 – USB Flash Drive – Plastic Case



USB Flash Drive – Plastic Case

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue, Red, Silver	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 60.1 x 18.2 x 9.2 mm
Unit Weight: 17.4 g
Packaging Type: Gift Box
Package Size: 13 x 13 x 3.3 cm
Inner Box: 55 x 46 x 16 cm (50 pcs/box)
Carton Size: 56 x 47 x 33 cm, 100 pcs/CTN
GW/CTN: 10 kg

UFD-0603 – USB Flash Drive – Transparent Plastic Case



USB Flash Drive – Plastic Case

Case Type: Plastic (transparent)
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Red (transparent)	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 63.6 x 18.2 x 9.2 mm
Unit Weight: 10 g
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0605 – USB Flash Drive – Plastic Case



USB Flash Drive – Plastic Case

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 75 x 23 x 11 mm
Unit Weight: 10 g
Packaging Type: Gift Box
Package Size: 13 x 13 x 3.3 cm
Inner Box: 55 x 46 x 16 cm (50 pcs/box)
Carton Size: 56 x 47 x 33 cm, 100 pcs/CTN
GW/CTN: 10 kg

UFD-0605-L – USB Flash Drive – Shining w/LED Indicator



USB Flash Drive – Shining w/LED Indicator

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver/White combination	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 75 x 23 x 11 mm
Unit Weight: 10 g
Packaging Type: Gift Box
Package Size: 13 x 13 x 3.3 cm
Inner Box: 55 x 46 x 16 cm (50 pcs/box)
Carton Size: 56 x 46 x 16 cm, 100 pcs/CTN
GW/CTN: 10 kg

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0606 – Mini USB Flash Drive w/Transparent Plastic Case



USB Mini Flash Drive w/Transparent Plastic Case

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors:	Transparent

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 56 x 17 x 9 mm
Unit Weight:
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0607 – USB Mini Flash Drive w/LED Light Design



USB Mini Flash Drive w/LED Light Design

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors:	Blue, White

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 50 x 17 x 8 mm
Unit Weight:
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0608 – USB Flash Drive – Plastic Case



USB Flash Drive – Plastic Case

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors:	White

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 78 x 24 x 15 mm
Unit Weight:
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0609 – USB Flash Drive w/LED Red Light



USB Flash Drive w/LED Red Light

Case Type: Plastic (transparent or oiled optional)
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors (transparent):	Blue, Green

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 72 x 18 x 7.4 mm
Unit Weight:
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0610 – USB Flash Drive – Plastic Case



USB Flash Drive – Plastic Case

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Border Colors: Blue, Red, Black	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 65 x 21 x 8 mm
Unit Weight: 10 g
Packaging Type: Gift Box
Package Size: 13 x 13 x 3.3 cm
Inner Box: 55 x 46 x 16 cm (50 pcs/box)
Carton Size: 56 x 47 x 33 cm, 100 pcs/CTN
GW/CTN: 12 kg

UFD-0611 – USB Flash Drive – Plastic Case



USB Flash Drive – Plastic Case

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Border Colors: Blue, Red, Black	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 70 x 25 x 8 mm
Unit Weight: 10 g
Packaging Type: Gift Box
Package Size: 13 x 13 x 3.3 cm
Inner Box: 55 x 46 x 16 cm (50 pcs/box)
Carton Size: 56 x 47 x 33 cm, 100 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0612 – USB Flash Drive – Plastic Case



USB Flash Drive – Plastic Case

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications

Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: White, Black	

Features

Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC

Physical

Unit Dimensions: 64 x 20 x 10 mm
 Unit Weight:
 Packaging Type: Blister Pack
 Package Size: 14.5 x 10 x 1.5 cm
 Inner Box: 32 x 16 x 11 cm (25 pcs/box)
 Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN
 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0613 – Mini USB Flash Drive w/360 Revolving Port



USB Mini Flash Drive w/360 Revolving Port

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications

Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Border Colors: Red, Black	

Features

Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC

Physical

Unit Dimensions: 53 x 27 x 14 mm
 Unit Weight:
 Packaging Type: Gift Box
 Package Size: 13 x 13 x 3.3 cm
 Inner Box: 55 x 46 x 16 cm (50 pcs/box)
 Carton Size: 56 x 47 x 33 cm, 100 pcs/CTN
 GW/CTN: 10 kg

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0614 – USB Mini Flash Drive w/Revolving USB Cap

USB Mini Flash Drive w/Revolving USB Cap



Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications

Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Red, Black	

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC

Features

Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical

Unit Dimensions: 52 x 20 x 12 mm
 Unit Weight: 8 g
 Packaging Type: Gift Box
 Package Size: 12 x 10 x 2.6 cm / 0.12kg
 Inner Box: 36 x 14 x 12 cm (25 pcs/box)
 Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN
 GW/CTN: 12 kg

UFD-0615 – USB Flash Drive – Plastic Case

USB Flash Drive – Plastic Case



Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications

Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Red, Black	

Warranty Terms

2 years from the date of factory shipment

Certifications

CE, RoHS, FCC

Features

Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical

Unit Dimensions: 5.2 x 2.2 x 1.2 cm
 Unit Weight: 8 g
 Packaging Type: Blister Pack, Gift Box, Bulk
 Gift Box Size: 12 x 10 x 2.6 cm, 0.12 kg
 Inner Box: 36 x 14 x 12 cm (25 pcs/box)
 Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN
 GW/CTN: 12 kg

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0701 – USB Super Slim Flash Drive



USB Super Slim Flash Drive

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Black	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 47 x 16.4 x 3.4 mm
Unit Weight:
Packaging Type: Blister Pack
Package Size: 15.7 x 10.6 x 1.4 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0702 – USB Super Slim Flash Drive



USB Super Slim Flash Drive

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Black	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 43.2 x 15.6 x 2.5 mm
Unit Weight:
Packaging Type: Blister Pack
Package Size: 15.7 x 10.6 x 1.4 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0801 – USB Ball Pen Flash Drive



USB Ball Pen Flash Drive

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver	

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Warranty Terms
2 years from the date of factory shipment

Physical
Unit Dimensions: 50 x 16 x 16 mm
Unit Weight: 40 g
Packaging Type: Gift Box
Package Size: 11 x 11 x 3.2 cm
Inner Box:
Carton Size: 42 x 35 x 29 cm, 100 pcs/CTN
GW/CTN: 12 kg

Certifications
CE, RoHS, FCC

UFD-0802 – USB Ball Pen Flash Drive



USB Ball Pen Flash Drive

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver, Black	

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Warranty Terms
2 years from the date of factory shipment

Physical
Unit Dimensions: 135 x 17 x 17 mm
Unit Weight: 40 g
Packaging Type: Gift Box
Package Size: 11 x 11 x 3.2 cm
Inner Box:
Carton Size: 42 x 35 x 29 cm, 100 pcs/CTN
GW/CTN: 12 kg

Certifications
CE, RoHS, FCC

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0803 – USB Ball Pen Flash Drive



USB Ball Pen Flash Drive

Case Type: Metal
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Silver/Black Combination	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 140 x 15 (diameter)
Unit Weight: 40 g
Packaging Type: Gift Box
Package Size: 11 x 11 x 3.2 cm
Inner Box:
Carton Size: 42 x 35 x 29 cm, 100 pcs/CTN
GW/CTN: 12 kg

UFD-0804 – USB Ball Pen Flash Drive



USB Ball Pen Flash Drive

Case Type: Metal - Copper
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue, White, Black	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional
Two in one – USB Flash Drive and Ball Pen	

Physical
Dimensions: Length: 137mm, Diameter: 17.3mm
Unit Weight: 40 g
Packaging Type: Blister Pack, Gift Box, Bulk
Package Size:
Inner Box
Carton Size:

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0901 – USB Flash Drive – Leather Casing



USB Flash Drive – Leather Casing

Case Type: Metal / Genuine Leather with Metal Cap
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Brown, Black	

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Warranty Terms
2 years from the date of factory shipment

Physical
Unit Dimensions: 90 x 23 x 8 mm
Unit Weight: 0.05 kg
Packaging Type: Gift Box
Package Size: 13 x 13 x 3.3 cm
Inner Box: 55 x 46 x 33 cm (50 pcs/box)
Carton Size: 56 x 47 x 33 cm, 100 pcs/CTN
GW/CTN: 13 kg

Certifications
CE, RoHS, FCC

UFD-0902 – USB Flash Drive – Leather Casing



USB Flash Drive – Leather Casing

Case Type: Metal / Genuine Leather
 USB Version: 2.0
 Capacities: 64 MB to 16 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Brown, Black	

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Warranty Terms
2 years from the date of factory shipment

Physical
Unit Dimensions: 90 x 23 x 8 mm
Unit Weight: 0.05 kg
Packaging Type: Gift Box
Package Size: 13 x 13 x 3.3 cm
Inner Box: 55 x 46 x 16 cm (50 pcs/box)
Carton Size: 56 x 47 x 33 cm, 100 pcs/CTN
GW/CTN: 14 kg

Certifications
CE, RoHS, FCC

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**

UFD-0903 – USB Flash Drive – Heart Shape



USB Flash Drive – Heart Shape

Case Type: Plastic

USB Version: 2.0

Capacities: 64 MB to 8 GB

Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Pink, Blue, Green	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 50 x 17 x 8 mm
Unit Weight: 10 g
Packaging Type: Gift Box
Package Size: 12 x 10 x 2.6 cm / 0.12kg
Inner Box:
Carton Size: 73 x 30 x 25 cm, 100 pcs/CTN
GW/CTN: 12 kg

UFD-0904 – USB Flash Drive – Football / Soccer Design



USB Flash Drive – Football / Soccer Design

Case Type: Plastic with hidden USB head

USB Version: 2.0

Capacities: 64 MB to 8 GB

Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue, Red, Black	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional
OEM Pantone Color Match	

Physical
Unit Dimensions: 3.9 cm diam
Unit Weight:
Packaging Type: Blister Pack
Package Size: 19 x 13 x 6 cm
Inner Box:
Carton Size:

**All specifications have been provided by the manufacturer and are subject to change at any time
Please contact Jade Connections for clarifications or for any updates**

UFD-0905 – USB Wrist Flash Drive



USB Wrist Flash Drive

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Yes
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions: 21 cm in length
Unit Weight:
Packaging Type: Blister Pack
Package Size: 14.5 x 10 x 1.5 cm
Inner Box: 32 x 16 x 11 cm (25 pcs/box)
Carton Size: 33 x 32 x 24 cm, 100 pcs/CTN 64 x 33 x 24 cm, 200 pcs/CTN

UFD-0906 – USB Neck Strap Flash Drive



USB Neck Strap Flash Drive

Case Type: Plastic
 USB Version: 2.0
 Capacities: 64 MB to 8 GB
 Operating Systems Supported: No driver needed for Windows ME, 2000, XP, Mac 9.x or later, Linux Kernel 2.4 or later. Supplied driver needed for Windows 98 and 98SE.

Specifications	
Speed	USB 2.0 High Speed
Data Retention Period	10 years
Expected Usage Times	> 1,000,000
Available Colors: Blue, Grey, Black, Red	

Warranty Terms
2 years from the date of factory shipment

Certifications
CE, RoHS, FCC

Features	
Built-in Password Protection	Optional
Auto Run Function	Optional
Hot plug and play	Yes
Bootable Function	Optional
ReadyBoost Function (Vista OS)	Optional

Physical
Unit Dimensions:
Unit Weight:
Packaging Type:
Package Size:
Inner Box:
Carton Size:

**All specifications have been provided by the manufacturer and are subject to change at any time
 Please contact Jade Connections for clarifications or for any updates**